

AMENDMENTS TO THE CLAIMS

This listing will replace all prior versions and listings of claims in the application.

Listing of Claims:

1. (Currently amended) An absorbent garment for wear about a wearer's waist, said absorbent garment comprising:

a garment shell configured for encircling the wearer's waist and having a front waist region, a front waist end at said front waist region, a back waist region, and a back waist end at said back waist region, the garment shell comprising a front panel assembly having laterally opposite side margins, and a back panel assembly having laterally opposite side margins; and

an absorbent assembly disposed within the garment shell and constructed to take in and retain body exudates released by the wearer, the absorbent assembly having an inner surface adapted for contiguous relationship with the wearer's body, an outer surface, a front waist region in opposed relationship with the front waist region of the garment shell, a back waist region in opposed relationship with the back waist region of the garment shell, a crotch region extending longitudinally between and interconnecting the front waist region and the back waist region, a front waist end and a back waist end, laterally spaced front side panels extending outward from the front waist region and laterally opposite back side panels extending outward from the back waist region, the front side panels of

the absorbent assembly being attached ~~at the front waist region thereof~~ to the garment shell generally at the side margins of the front panel assembly to together define front side margins of the absorbent garment, said back side panels of the absorbent assembly ~~further~~ being attached ~~at the back waist region thereof~~ to the garment shell generally at the side margins of the back panel assembly to together define back side margins of the absorbent garment, the front side margins and the back side margins of the absorbent garment being releasably and refastenably attached to each other to removably secure the absorbent garment on the wearer's waist.

2. (Original) An absorbent garment as set forth in claim 1 wherein at least a portion of the front waist end of the absorbent assembly is attached to the front waist end of the garment shell and at least a portion of the back waist end of the absorbent assembly is attached to the back waist end of the garment shell.

3. (Original) An absorbent garment as set forth in claim 1 wherein the absorbent assembly has laterally opposite outer edges at the front waist region of said absorbent assembly and corresponding laterally opposite outer edges generally at the back waist region of said absorbent assembly, the absorbent assembly being attached generally at the laterally opposite outer edges of the front waist region to the garment shell generally at the side margins of the front panel assembly and

being further attached generally at the laterally opposite outer edges of the back waist region to the garment shell generally at the side margins of the back panel assembly.

4. (Original) An absorbent garment as set forth in claim 3 wherein the absorbent garment has laterally opposite front side panels extending laterally outward generally at the front waist region of the absorbent assembly and having respective outer edges defining the outer edges of the absorbent assembly at said front waist region, and laterally opposite back side panels extending laterally outward generally at the back waist region of the absorbent assembly and having respective outer edges defining the outer edges at said back waist region of the absorbent assembly, the front side panels being attached generally at the outer edges thereof to the front panel assembly of the garment shell generally at the side margins of said front panel assembly, the back side panels being attached generally at the outer edges thereof to the back panel assembly of the garment shell generally at the side margins of said back panel assembly.

5. (Original) An absorbent garment as set forth in claim 1 wherein the absorbent garment has at least one outer leg opening and a pair of inner leg openings separate from the at least one leg opening and disposed within the garment shell, the absorbent assembly at least in part defining said inner leg

openings of the absorbent garment, said garment shell defining said at least one outer leg opening of the absorbent garment.

6. (Original) An absorbent garment as set forth in claim 5 wherein the absorbent assembly is configured to provide an elastic fit of the absorbent assembly against the wearer's legs at the inner leg openings of the absorbent garment, the garment shell being configured to generally hang loose about the wearer's legs at the at least one outer leg opening of the absorbent garment.

7. (Original) An absorbent garment as set forth in claim 5 wherein the absorbent assembly is configured to encircle the legs of the wearer and fully defines the inner leg openings of the absorbent garment.

8. (Original) An absorbent garment as set forth in claim 5 wherein the garment shell further has a crotch region extending longitudinally between the front and back waist regions of the garment shell, the crotch region of the garment shell at least in part defining a pair of outer leg openings of the absorbent garment which are separate from the inner leg openings of the absorbent garment.

9. (Original) An absorbent garment as set forth in claim 8 wherein the crotch region of the absorbent assembly is free from attachment to the crotch region of the garment shell.

10. (Original) An absorbent garment as set forth in claim 1 further comprising at least one waist elastic member operatively joined to at least one of the front waist end of the absorbent assembly, the back waist end of the absorbent assembly, the front waist end of the garment shell and the back waist end of the garment shell to provide an elastic fit of the absorbent garment against the wearer's waist.

11. (Original) An absorbent garment as set forth in claim 1 wherein the absorbent assembly is elastically stretchable at least at said front and back waist ends of said absorbent assembly, the front and back waist ends of the absorbent assembly being operatively joined respectively to the front and back waist ends of the garment shell to gather the garment shell generally at the front and back waist ends of said garment shell.

12. (Original) An absorbent garment as set forth in claim 1 wherein the absorbent garment has a waist opening, the absorbent assembly being configured to encircle the waist of the wearer generally at the front and back waist ends of the absorbent assembly to fully define the waist opening of the absorbent garment.

13. (Original) An absorbent garment as set forth in claim 12 wherein the absorbent assembly is a brief-style absorbent assembly.

14. (Original) An absorbent garment as set forth in claim 1 wherein the garment shell has a configuration selected from the group comprising shorts, skorts, skirts and swim trunks.

15. (Currently amended) An absorbent garment as set forth in claim 1 wherein the absorbent garment has a waist opening, at least one outer leg opening, and laterally opposite side seams extending generally from the waist opening to said at least one outer leg opening, the absorbent garment being releasable and refastenable along at least a portion of each of said side seams.

16. (Currently amended) An absorbent garment as set forth in claim 15 wherein the absorbent garment is releasable and refastenable along the entire length of each of said side seams.

17. (Original) An absorbent garment as set forth in claim 1 wherein the absorbent garment has laterally opposite front side margins and corresponding laterally opposite back side margins, the front side margins and the back side margins being in overlapping relationship with each other to define laterally opposite side seams of the absorbent garment, the amount of

overlap of the front side margins with the back side margins being in the range of about 0.1 inches (2.5 mm) to about 6 inches (152.4 mm).

18. (Original) An absorbent garment as set forth in claim 17 wherein the amount of overlap of the front side margins with the back side margins is in the range of about 0.5 inches (12.7 mm) to about 3 inches (76.2 mm).

19. (Original) An absorbent garment as set forth in claim 1 wherein the absorbent assembly comprises a liquid permeable liner defining the inner surface of the absorbent assembly adapted for contiguous relationship with the wearer, an outer cover in generally opposed relationship with the liner and defining the outer surface of the absorbent assembly, and an absorbent body disposed between the liner and the outer cover.

20. (Original) An absorbent garment as set forth in claim 19 wherein the outer cover of the absorbent assembly is liquid impermeable and the garment shell is liquid permeable.

21. (Original) An absorbent garment for wear about a wearer's waist, said absorbent garment comprising:

a garment shell configured for encircling the wearer's waist and being further configured as a pair of shorts having a pair of leg openings defining outer leg openings of the absorbent garment; and

an absorbent assembly disposed within the garment shell and constructed to take in and retain body exudates released by the wearer, at least a portion of the absorbent assembly being attached to the garment shell, said absorbent assembly having an inner surface adapted for contiguous relationship with the wearer's body, an outer surface, a front waist region, a back waist region, and a crotch region extending longitudinally between and interconnecting the front waist region and the back waist region of the absorbent assembly, said absorbent assembly at least in part defining inner leg openings of the absorbent garment wherein said inner leg openings are separate from the outer leg openings of the absorbent garment;

the absorbent garment further having a waist opening, laterally opposite front side margins and corresponding laterally opposite back side margins, the front side margins and back side margins being at least in part defined by the garment shell, said front side margins of the absorbent garment being in overlapping relationship with said back side margins of the absorbent garment to define laterally opposite side seams of the absorbent garment wherein the side seams each have a length extending generally from the waist opening of the absorbent garment to a respective one of the outer leg openings of the absorbent garment, said side seams of the absorbent garment each having a respective upper segment along which the front side margins and back side margins of the absorbent garment are attached to each other, said upper segment having a length extending from the waist opening of the absorbent



garment to less than about 50 percent of the length of the side seam, the front side margins and the back side margins of the absorbent garment being free from attachment to each other along the remaining length of each respective side seam generally from the upper segment of said side seam to the respective outer leg opening of the absorbent garment.

22. (Original) An absorbent garment as set forth in claim 21 wherein the amount of overlap of the front side margins of the absorbent garment with the back side margins of the absorbent garment is in the range of about 0.1 inches (2.5 mm) to about 6 inches (152.4 mm).

23. (Original) An absorbent garment as set forth in claim 22 wherein the amount of overlap of the front side margins of the absorbent garment with the back side margins of the absorbent garment is in the range of about 0.5 inches (12.7 mm) to about 3 inches (76.2 mm)

24. (Original) An absorbent garment as set forth in claim 21 wherein the front side margins of the absorbent garment and the back side margins of the absorbent garment are releasably attached to each other at the upper segments of the side seams of the absorbent garment.

25. (Original) An absorbent garment as set forth in claim 21 wherein the garment shell comprises a front panel assembly

having laterally opposite side margins and a back panel assembly having laterally opposite side margins, the absorbent assembly being attached at the front waist region thereof to the garment shell generally at the side margins of the front panel assembly to together define the front side margins of the absorbent garment, said absorbent assembly further being attached at the back waist region thereof to the garment shell generally at the side margins of the back panel assembly to together define the back side margins of the absorbent garment.

26. (Original) An absorbent garment as set forth in claim 21 wherein the absorbent assembly further has a front waist end and a back waist end, the garment shell also having a front waist end and a back waist end, at least a portion of the front waist end of the absorbent assembly being attached to the front waist end of the garment shell and at least a portion of the back waist end of the absorbent assembly being attached to the back waist end of the garment shell.

27. (Original) An absorbent garment as set forth in claim 25 wherein the absorbent assembly has laterally opposite outer edges at the front waist region of said absorbent assembly and corresponding laterally opposite outer edges generally at the back waist region of said absorbent assembly, the absorbent assembly being attached generally at its laterally opposite outer edges of the front waist region to the garment shell generally at the side margins of the front panel assembly, the

absorbent assembly being further attached generally its laterally opposite outer edges of the back waist region to the garment shell generally at the side margins of the back panel assembly.

28. (Original) An absorbent garment as set forth in claim 27 wherein the absorbent garment has laterally opposite front side panels extending laterally outward generally at the front waist region of the absorbent assembly and having respective outer edges defining the outer edges of the absorbent assembly at said front waist region, and laterally opposite back side panels extending laterally outward generally at the back waist region of the absorbent assembly and having respective outer edges defining the outer edges at said back waist region of the absorbent assembly, the front side panels being attached generally at the outer edges thereof to the front panel assembly of the garment shell generally at the side margins of said front panel assembly, the back side panels being attached generally at the outer edges thereof to the back panel assembly of the garment shell generally at the side margins of said back panel assembly.

29. (Original) An absorbent garment as set forth in claim 21 wherein the absorbent assembly is configured to provide an elastic fit of the absorbent assembly against the wearer's legs at the inner leg openings of the absorbent garment, the garment shell being configured to generally hang loose about the

wearer's legs at the outer leg openings of the absorbent garment.

30. (Original) An absorbent garment as set forth in claim 21 wherein the absorbent assembly is configured to encircle the legs of the wearer and fully defines the inner leg openings of the absorbent garment.

31. (Original) An absorbent garment as set forth in claim 21 wherein the absorbent assembly further has a front waist end and a back waist end, the garment shell also having a front waist end and a back waist end, the absorbent garment further comprising at least one waist elastic member operatively joined to at least one of the front waist end of the absorbent assembly, the back waist end of the absorbent assembly, the front waist end of the garment shell and the back waist end of the garment shell to provide an elastic fit of the absorbent garment against the wearer's waist.

32. (Original) An absorbent garment as set forth in claim 21 wherein the absorbent assembly further has a front waist end and a back waist end, the garment shell also having a front waist end and a back waist end, the absorbent assembly being elastically stretchable at least at the front and back waist ends of said absorbent assembly, the front and back waist ends of the absorbent assembly being operatively joined respectively to the front and back waist ends of the garment shell to gather

the garment shell generally at the front and back waist ends of said garment shell.

33. (Original) An absorbent garment as set forth in claim 21 wherein the absorbent garment has a waist opening, the absorbent assembly having front and back waist ends and being configured to encircle the waist of the wearer generally at the front and back waist ends of the absorbent assembly to fully define the waist opening of the absorbent garment.

34. (Original) An absorbent garment as set forth in claim 33 wherein the absorbent assembly is a brief-style absorbent assembly.

35. (Original) An absorbent garment as set forth in claim 21 wherein the absorbent assembly comprises a liquid permeable liner defining the inner surface of the absorbent assembly adapted for contiguous relationship with the wearer, an outer cover in generally opposed relationship with the liner and defining the outer surface of the absorbent assembly, and an absorbent body disposed between the liner and the outer cover.

36. (Original) An absorbent garment as set forth in claim 35 wherein the outer cover of the absorbent assembly is liquid impermeable and the garment shell is liquid permeable.